FV2651K MWB

SHOBUN 510



6x4 - SHIFTPILOT



Power/Torque:

510ps/2,500Nm (1,844lb/ft)



Wheelbase:

4,300mm (K)



Suspension:

Air

- Most powerful Japanese truck
- Active Side Guard Assist NEW
- Active Brake Assist (ABA5) NEW
- 63T GCM
- **Limited Slip Differentials**
- 5yr/500,000km Warranty (T&Cs inside)



5HDGLIN 51 FV2651 6x4

 MODEL
 WHEELBASE (mm)
 GVM (kg)
 GCM (kg)

 6x4
 FV2651K
 12 SP.
 SHIFTPILOT
 AIR SUSP.
 FV74VK9VFBA
 4,300 (K)
 26,000
 63,000

ENGINE NE	w
Engine Version	FUSO 0M471 6 Cyl. In-line DOHC
Displacement	13 Litre (12,809cc)
Power (DIN)	510ps (375kW) @ 1600rpm
Torque (DIN)	2,500Nm (1844lbft) @ 1100rpm
Air Cleaner	Vertical Intake Mounted on Clean Air Side (RH)
Emission Control	Selective Catalytic Reduction (SCR + DPF)
Emission Level	EURO 6 (ADR80/03)

OM471 - PERFORMANCE GRAPH

ENGINE + TRANSMISSION CONTINUED **Features** Eco, Auto + Heavy Modes: Calibrated for NZ Conditions Skip Shift Function for Light Loads Driver Activated Kick Down Crawler Mode Rock-Free Mode Eco Roll Eco Cruise **Ratios** 1st: 11.639 8th: 2.050 2nd: 9.020 9th: 1.599 3rd: 7.035 10th: 1.239 4th: 5.452 11th: 1.000 5th: 4.400 12th: 0.775 6th: 3.410 RHigh: 9.020 7th: 2.645 RLow: 11.639 PTO Opening Rear

	500														
	450												\setminus		
_	400													3000	(u
POWER (ps)	350													2500	TORQUE (Nm)
POWE	300													2000	ORQL
_		/												1500	٢
	250													1000	
	8	00	100	00	120	00	140	00	16	00	18	00	200	00	

FRONT AXLE	
Axle Version	FUSO F900T "I" Beam
Design Capacity (kg)	7,500
Max Operating Capacity (kg)	7,100 (Subject to suitable tyres + certification)

FRONT SUSPENSIO	N
Туре	Long Taper Leaf + Double Acting Shock Absorbers
Size (mm)	1,500 x 90

REAR AXLE	
Axle	D12 Hypoid Tandem Drive + Inter-Axle Diff Lock, Limited Slip Diff (LSD) in both axles
Max Operating Capacity (kg)	21,600
Ratio	4.222:1

FUEL	
Injection System	X Pulse Common Rail High Pressure Direct Injection
Tank	400L Rectangular Alloy Tank + Locking Cap
AdRiue Exhaust Fluid Canacity	601 Tank + Locking Can

ENGINE SPEED (rpm)

Details Air with CLCS control, Trailing Arm with 2 Bag / Axle with Shock Absorbers CLCS: Chassis Level Control System Electronic Height Control / Dump (adjustable from steering wheel or remote control)	REAR SUSPENSION	
Electronic Height Control / Dump (adjustable from steering wheel or remote control)	Details	
Z memory positions		Electronic Height Control / Dump (adjustable from steering wheel or remote control) 2 memory positions

ELECTRICAL	
Voltage	24V Negative Ground, 100A Alternator
Battery Specification	Heavy Duty 2x12V, 150Ah/20hr
CLUTCH	
Туре	FUSO Twin Plate Fully Automated
TRANSMISSION	
Version	FUSO SHIFTPILOT GENERATION 3 Automated Manual G330-12
Type / Speeds	12 Speed with Auto + Manual Modes Constant Mesh Non Synchromesh Transmission

BRAKES		
Туре	Full Air Taper Roller Drum Brakes + Auto Adjust, EBS, ABS, ASR (Traction Control)	
Size Front / Rear (mm)	410x160/410x200	
Park Brake	Rear Wheels Spring Actuated	
Engine Brake	Jake Brake: Three-Stage including Shift Down Function – Max 375kW (510ps)	
Air Compressor	Two-Stage + ECU Control for Fuel Saving	
Air tanks Alloy		
WHEELS AND TYRES		

WHEELS AND TYRES			
Wheels	10 x Alcoa Alloy 22.5x8.25" ISO 10 Stud		
Tyre Size Front / Rear	295/80R22.5 / 11R22.5		

SHDGUN **510** FV2651 6x4

CHASSIS

Туре	Super Frame, Single Skin, Reinforced Parallel Channel
Size / Width (mm)	300x90x7.0/840

Refer to bodybuilder guidelines on FUSO website (fuso.co.nz) before mounting a body or modifying the chassis

INSTRUMENTS

Gauges	Speedo / Tacho / Air pressure / Fuel level / Ad Blue level
Multi-Information Display accessed from steering wheel buttons	Advanced Safety Systems Control, Digital Speedo, Water Temperature, Fuel Consumption Warning Lamps, Service Indicators, Alarm Clock, Hour Meter + Tripmeter, Oil Level Check
Steering wheel controls	Audio / Phone / Cruise Control / Multi-Information Display Menu / Speed Limiter /

Air suspension height

STANDARD FEATURES

Cab Cooling and Heating	Climate Control Air Conditioning
Accessory Power	24V Accessory Power Outlet x 2
Driving	SMART Key Push Button Start + Keyless Central Locking Electric Windows Fluorescent Cabin Lamp Interior Reading Lamps Engine Idle Speed Control

OAD EEATUDEO

CAB FEATURES	
Туре	All Steel 4 Point Air Suspended + Electric / Hydraulic Tilt Cab
Colour	Natural White (W31)
Seating Capacity	2 + Large Centre Console
Seat (driver)	Air Suspension Integrated Seat Belt Auto Levelling Height, Tilt, Lumbar + Dampening Adjust Armrest
Seats (passenger)	Bucket Seat with Integral Headrest
Interior	Fully Trimmed + Heavy Duty Vinyl on Floor Premium Rear Bunk Mattress + Curtains
External	Roof Mounting Points (max. static load 50kg) Front End-Outline Marker Lamps

SERVICE INTERVALS

60,000km full service / 15,000km safety inspection

60,000km full service intervals, depending on application/use. 15,000km safety inspection, with greasing, required for reliability and to maintain warranty cover.

WARRANTY

5 years / 500,000km

Simply have your vehicle serviced at an authorised FUSO Service Centre, at the recommended servicing intervals, and you are covered by an additional 2 year / 250,000km FUSO warranty on top of the first 3 years / 250,000km. That's a total of 5 years / 500,000km cover! Refer to the terms and conditions in the FUSO warranty booklet for full details.

SAFETY FEATURES

ACTIVE SAFETY FEATURES	SAFE	TY MS,
Electronic Brake System (EBS)	Yes	
Electronic Stability Control (ESC)	Yes	
Active Brake Assist (ABA5)	Yes	NEW
Lane Departure Warning System (LDWS)	Yes	
Active Attention Assist (Driver Fatigue Monitoring)	Yes	
Proximity Control Assist (Adaptive Cruise Control)	Yes	
Active Side Guard Assist (ASGA)	Yes	NEW
CAB		
Structure	ECE-R29 European Cab Strength Door Side Impact Beams	

Drivers integrated with Seat & Belt Pre-tensioner, Driver & Passenger seat belt warning light Seatbelts Front Underrun Protector Beam (FUP) Yes LH Transom Window + Rear Quarter Glass

Driver (steering wheel)

Steering Wheel	Leather, Tilt/Telescopic Adjustable
Rearview Mirrors	Remote Control, Heated + Separate Convex Spotter (both sides)
Auto-Sensing Headlamps	Auto High/Low Beam Activation

	Xtra Vision LED (low beam) Halogen (high beam) Manual Height Adjustment
Day Time Running Lights	Yes
Fog Lamps	Yes

Wipers Auto-sensing Trailer Brake Control Lever 7" Touchscreen Media Unit AM/FM/DAB + USB + AUX

Yes

Apple CarPlay + Android Auto Wi-Fi enabled for Internet Radio Bluetooth, 32GB capacity storage HD Reverse Camera included †

CHASSIS

Front Step Lights **Keyless Central Locking**

Airbags

CHASSIS	
Speed Limter	Yes (100km/h factory setting)
Jake Engine Brake (510ps)	Yes
Anti-Lock Braking System (ABS)	Yes
Brake Overide System	Yes
Hill Start System	Yes
Traction Control (ASR)	Yes
Interaxle Diff Lock	Yes
Limited Slip Diff (LSD)	Yes (both axles)
Emergency Stop Signal (ESS)	Yes
Reverse Warning Buzzer	Yes

OPTIONS

† Additional Touchscreen Display Cameras (up to 4)

Truck Specific GPS Navigation

Reversing Sensors

Tyre Pressure Monitoring System (up to 36 tyres)

KERR WEIGHTS AND MAX AXI E LOADS (kg)

	(9)							
		Vehicle F	Ratings**	Max Axle I	Loadings**	ŀ	Cerb Weights	*
Model		GVM	GCM	Front***	Rear	Front	Rear	Total
6x4 FV2651K 12 Sp. SHIFTPILOT Air Susp.	FV74VK9VFBA	26,000	63,000	7,100	21,600	4,430	3,320	7,750

^{*} Weights (est.) includes 10L fuel and are subject to 3.5% variation (+/-)

^{**} Vehicle ratings and max axle loadings may be limited by local regulations.


^{***} Subject to suitable tyres and certification

5HDGLIN 51D FV2651 6x4

PERFORMANCE	
Turning Circle (kerb to kerb - metres)	15.2
Electronically Speed limited to 100km/hr	Can be adjusted lower by dealer
Engine Speed (rpm) 90km/hr (top gear)	1,530
Gradeability at Rated GCM (theoretical)*	25%
	. A - L 1

*This is theoretical performance only. Actual performance may vary under differ	ent
conditions	

DIMENSIONS (mm)	
Wheelbase	4,300
Length Overall	7,640
Height Overall	3,300
Width Overall	2,490
Width Rear Axle	2,485
Width Front track	2,075
Width Rear Track	1,865
Width Frame	840
Height Frame at Rear Axle	1,030 (Air susp. inflated)



Scale = 1:50 (20mm = 1 metre). This scale is accurate when used on the original spec sheet, be aware that enlarging these illustrations can alter the scale and cause incorrect measurements. Fuso New Zealand and its authorised dealers always recommend customers seek professional advice from independent sources before commencing any engineering activities.

A policy of continual improvement means that specifications detailed in this brochure are subject to change without notice. Contact your authorised Fuso dealer to confirm current specifications. Fuso is a registered trademark of Mitsubishi Fuso Truck & Bus Corporation. Copyright © Fuso NZ (2022)

