

Model code	FJX3WK2RFBA	Transmission	9 spd G131 Manual Synchromesh Ratios: 14.57 - 9.48 - 6.64 - 4.82 - 3.67 - 2.59 - 1.81
Configuration	6x4		1.32 - 1.00 : R - 13.86
GVM	25,000kg	PTO (Std)	Output Torque: 700Nm Ratio: 1.357 @ 1700rpm
GCM	36,000kg	Axles	Front: Reverse Elliot (6,600kg) Rear: Full Floating with Diff Lock and Cross Locks (11,000kg x 2); Ratio : 4.778 : 1
Axle GVM	Front: 6,600kg Rear: 19,000kg		
ratings		Suspension	Front: Parabolic with Anti Roll Bar
Kerb weight (10L fuel)	Front: 4,050kg Rear: 3,860kg	Brakes	Rear: Multi Leaf, Tandem Bogie with Torque Rods and Anti Roll Bar Full Air S Cam with Auto Brake Adjustment and ABS
	Total: 7,910kg		
Engine	OM906, 6.4L, 6 Cylinder		Auxiliary: Exhaust Brake and Engine Brake
Power/torque	285hp (210kW) @ 2200rpm / 1120Nm @ 1200- 1600rpm	Tyres	295/80R22.5
Live Drive PTO	Output Torque: 600Nm Ratio: 1:07 x engine speed	Wheels	8.25" x 22.5" 10 Stud ISO
	_ ·	Fuel	290L + 60L Ad Blue


OM906



Tyres	295/80R22.5
Wheels	8.25" x 22.5" 10 Stud ISO
Fuel	290L + 60L Ad Blue
Electrical	24Volt / 80Amp Alt
Performance	90km/hr speed limited; Max gradability = 70%
3 Seat Cab	Meets ECE R29 crash standard (max 6,000kg front axle loading) All Steel Forward Control Tilting Day Cab Arctic White (AW1) Air Suspended Driver's Seat with Integral Seat Belt ELR 3 Point with Centre Lap Belt & Driver's Seat Belt Reminder Air Conditioner / Heater / Demister 12V Accessory Power Outlet Radio AM/FM + USB + AUX Central Locking / Electric Windows Dual Door Mirrors + LH Front and Side Safety Mirrors Speedo, Tacho, Air and Fuel Gauges Ad Blue Level, Engine Hours, Fuel Consumption, Water Temperature Variable RPM Control



ENDLIRD FJ2528



DIMENSIONS

Wheelbase	4,275
Overall Length	7,460
Width	2,490
Height	2,930
Frame Height At Rear Axle	1,110
Rear Over Hang (ROH)	1,725
Front Track	2,045
Rear Track	1,805

Note: All dimensions are in mm

Scale = 1:50 (20mm = 1 metre). This scale is accurate when printed at full size (as available from your local FUSO dealer). If printing a downloaded pdf from the Fuso NZ website, please check your printer settings. Please be aware that printing these sheets at anything other than 100% size can alter the scale and cause incorrect measurements. Fuso NZ and its authorised dealers recommend customers seek professional advice from independent sources before commencing any engineering activities.

E

A policy of continual improvement means that specifications detailed on this sheet are subject to change without notice. Contact your authorised FUSO dealer to confirm current specifications. FUSO is a registered trademark of Mitsubishi Fuso Truck & Bus Corporation. Copyright @ Fuso NZ Ltd (2022).

